## **AMENDMENTS**

## In the Claims:

1. (Currently amended) A composition comprising an An aqueous polymer composition comprising:

a copolymer and water, wherein said copolymer comprises having at least one hydrophilic and at least one hydrophobic ethylenically unsaturated monomer; and water;

wherein said <u>aqueous</u> polymer composition is a solution or a dispersion <u>having</u> <u>substantially no stabilizing surfactants</u>, and

wherein a film formed from said <u>aqueous</u> polymer composition <del>contains essentially</del> <u>comprises substantially</u> no crosslinking.

- 2. (Original) The composition of claim 1 wherein said hydrophilic monomer is a cationic, anionic, or amphoteric monomer.
- 3. (Original) The composition of claim 1 wherein a <u>said</u> film formed from said polymer composition is insoluble in water <del>once formed</del>.
- 4. (Original) The composition of claim 1 wherein said aqueous polymer composition is clear.



- 5. (Currently amended) A surface-protecting formulation comprising having an aqueous polymer composition comprising:
  - a) a copolymer, wherein said copolymer comprises <u>having</u> at least one hydrophilic monomer and at least one hydrophobic ethylenically unsaturated monomer, wherein said polymer composition is a solution or a dispersion, and wherein a film formed from said polymer composition contains essentially no crosslinking;
  - b) water; and
  - e) a component selected from the group consisting of fillers, anti-fungal and anti-microbial agents, pigments, perfumes, surfactants, builders, co-builders, anti-oxidants, enzymes, brighteners, dispersants, anti-foaming agents, preservatives, water-softening agents, sunscreen agents and mixtures thereof;

wherein said polymer composition is a solution or a dispersion, and
wherein a film formed from said polymer composition contains substantially no
crosslinking.

- 6. (Currently amended) The composition of claim 5 wherein a <u>said</u> film formed from said polymer composition is insoluble in water <del>once formed</del>.
- 7. (Original) The formulation of claim 5 comprising no volatile base.
- 8. (Original) The formulation of claim 5 further comprising sodium hydroxide.
- 9. (Currently amended) The formulation of claim 5 wherein said copolymer <u>further</u> comprises an acid functionality.
- 10. (Original) The formulation of claim 5 wherein said film formed from said copolymer composition is removable using an acid or alkaline cleaning solution.
- 11. (Currently amended) The formulation of claim 5 wherein said copolymer <u>further</u> comprises a star polymer.

- 12. (Currently amended) The formulation of claim 5 wherein said aqueous polymer composition is clear.
- 13. (Original) The formulation of claim 5 wherein said hydrophilic monomer is cationic, anionic or amphoteric.
- 14. (Original) The formulation of claim 5 comprising from 0.00001 to 40 percent by weight of said aqueous polymer composition, based on the surface-protecting formulation.
- 15. (Original) The formulation of claim 5 comprising 0.1 to 20 percent by weight of said copolymer on a solids/solids basis.
- 16. (Original) A process for imparting water resistance to a substrate comprising applying to a substrate the surface-protecting formulation of claim 5.
- 17. (Currently amended) A coated substrate comprising:

a substrate;

having on at least one surface a film on at least one surface of said substrate formed from an aqueous polymer composition, said aqueous polymer composition including emprising a copolymer emprising having at least one hydrophilic monomer and at least one hydrophobic ethylenically unsaturated monomer,

wherein a <u>said</u> film formed from said polymer composition is insoluble in water once formed, and wherein said film <del>contains essentially</del> comprises substantially no crosslinking.

- 18. (Original) The coated substrate of claim 17 wherein said film is applied to said substrate by spray, brushing, immersion, or flow-through.
- 19. (Original) The coated substrate of claim 17 wherein said substrate is selected from the group consisting of wood, metal, glass, ceramics, leather, concrete, fabric, textiles, plastics, vinyl, carpet, paper, upholstery, rock, hair and skin.



20. (Original) A process comprising the use of the polymer of claim 1 in an application selected from the group consisting of fabric cleaning, hard surface cleaning, fabric softening, autodish washing, control release, textile processing, oilfield processing, water treatment, metal working, personal care product formulating, fabric protection, and paint formulation.